

ALASKA MINI INFRA+

Features

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of lime wood
- 1 x 620 mm bench, 1 x 350 mm footstep
- 1 headrest
- Ventilation slit
- Backrests
- Intermediate bench panel
- Heater protection grille (W 625 x D 355 mm)
- Lamp with protection without bulb
- Door made of single pane safety glass



Details

Art.-Nr.	1-030-245 ALASKA-MN-IR+
Dimensions [mm]	1600 x 1100 x 2040
Construction	Solide
Wall thickness [mm]	40
Type of wood outside	Spruce
Type of wood ininside	Spruce
Type of wood interior	Lime
Interior fittings	Prestige
Benches number (top / above)	1/0
Adjustable headboard on a bench	No
Door dimensions [mm]	590 x 1915 x 8
Door hinge left and right	No
Glass elements dimensions [mm]	365 x 1945 x 8
Infrared full spectrum heater [W]	350
Headrests number	1
Heater safety guard [mm]	625 x 355
Floor grid [mm]	No
Silicone cables for Saunaheater 5x2,5mm ²	3 m
Silicone cables for Saunalight 3x1,5mm ²	3 m
Persons	2
Volume [m ³]	3,5
recommended Heater power electro [kW]	3,6
Mirror structure	Yes

Accessoires

LED-Set
LED-AL-M-IR




datasheet




ALASKA MINI INFRA+

Floor plan


Structure left



Structure right



Installation plan opt. accessories



ALASKA MINI INFRA+

Ausstattung

- Kabine aus massiver Fichte
- Massives Dachelement mit Dachkranz
- Inneneinrichtung „Prestige“ aus Linde
- 1 Bank 620 mm, 1 Fußauftritt 350 mm
- 1 Kopfstütze
- Lüftungsschieber
- Rückenlehnen
- Zwischenbankverblendung
- Ofenschutzgitter (B 625 x T 355mm)
- Lampe mit Lampenschutz ohne Leuchtmittel
- Türe aus ESG Glas



Details

Art.-Nr.	1-030-245 ALASKA-MN-IR+
Abmessungen [mm]	1600 x 1100 x 2040
Bauweise	massiv
Wandstärke [mm]	40
Holzart außen	Fichte
Holzart innen	Fichte
Holzart Inneneinrichtung	Linde
Inneneinrichtung	Prestige
Bänke Anzahl (oben / unten)	1/0
Verstellbares Kopfteil bei einer Bank	Nein
Türe Abmessungen [mm]	590 x 1915 x 8
Türanschlag links und rechts	Nein
Glaselemente Abmessungen [mm]	365 x 1945 x 8
Infrarot-Vollspektrumstrahler [W]	350
Kopfstützen Anzahl	1
Ofenschutzgitter [mm]	625 x 355
Bodenrost [mm]	Nein
Silikonkabel für Saunaofen 5x2,5mm ²	3 m
Silikonkabel für Saunalicht 3x1,5mm ²	3 m
Personen	2
Volumen [m ³]	3,5
empf. Ofenleistung elektro [kW]	3,6
Spiegelverkehrter Aufbau	Ja

Zubehör

LED-Set
LED-AL-M-IR




Datenblatt




ALASKA MINI INFRA+

Grundriss

Aufbau links



Aufbau rechts



Installationsplan opt. Zubehör

