

Request Form Outdoor Cabins

Date		Use	Reference	
		U36	IVEIGIGIEG	
Retailer			-	
		☐ Commercial Sauna		
			Delivery adress	
		☐ Private		
Sauna	Specified	Design	Additional	Door
dimensions	wall distance	floor plan		
Room			Own anteroom incl.	
Sauna		□ rectangular	glass door	
Widthcm	□ 50mm		☐ 2 entrance doors	DIN left DIN right
		☐ 5 corners ☐	☐ Inspection opening	\sqcap Γ
Depth cm	│			
Bopar om		6 corners		
∐oight om		in accordance		
Height cm		III accordance		
1 Style	exterior wood	interior wood	0.000	
Solid 70mm	Spruce	Interior wood	· [취	
few knotless	Wood treatment			
W MICHOSS	on site!	Spruce (B)		MAHAR
	Extra Decor	Opruce (B)		
	recommended		Q	
Standard height		Interior height ~210 cm		
Standard Height	-230 GIII	Interior height -2 to citi		
1.1 Easy	exterior wood	interior wood		
Solid 70mm	Spruce	Interior troop		
knotty	Wood treatment			
Kilotty	on site!	Spruce (C)		
	Extra Decor	pruce (C)		
	recommended			
Standard height	~250 cm	Interior height ~210 cm	1	
Otandard Height	230 0111	Interior neight 210 cm	1	
1.2 Alpina	exterior wood	interior wood 15mm		
1.2 Aipilia	exterior wood	Interior wood 15mm		
		Hemlock		
Private:	Rhombus formwork		ia is	
80mm		☐ Arola pine +4mm		
0011111	in spruce Color of your		, d	
	choice	☐ Aspen		
		I Voheli		
		Spruce		and the second
Commoraialı	Exterior deser	Spruce		
Commercial: 110mm	Exterior decor on site	Lindea linden		
110111111	on site	+40mm	- 7.4	
			SpruceAspen	Hemlock Arola pine
		Lindea heat treated		
		linden +40mm		
		IIIIden +40mm		
Ctandard baist	- 250 om	Interior height 040 am	Lindea	Lindea
Standard height	~∠ou cm	Interior height ~210 cm	linden	heat treated linden
1 2 Glass	Type of glass	Droportion of aloca	Glass door dimensions	Door handle
1.3 Glass sketch in	Type of glass clear (standard)	Proportion of glass Glass doors only	Glass door dimensions Standard 59 or 69 cm	Door handleinden/Pine
SVGIOLLIII	Bronzed	Panoramic window	DEP on sauna dimension	
		see sketch	Custom width:	wood/stainless staal
	Specific request			wood/stainless steel
		1	cm	



Request Form Outdoor Cabins

1.4 Interior fitting								
Bench height	Floor grid		Edge rounding	Adjustable bench				
45 - 50 cm	Standard 53x70 in lind	en	Standard	2 head pieces included				
90 - 95 cm	Adapted to sauna		□large, radius 50mm	adjustable head section				
or	Floor covering in spruce Entire Sauna	e		adjustable head and foot part				
Easy Standal Easy cabin	rd Prestige Stand Style cabin	dard Emotion	+ Cube	Loft				
	Bench base for upper couch at 1 height on: (important for calculations)			bench design in heat treated linden				
Selected decors in the exterior are only calculated on the visible sides (Rhombus formwork)								
		Rhombus formwork vi	sible side					
	,							
Rhombus formwo				nbus formwork visible side				
Rhombus formwork visible side								



Request Form Outdoor Cabins

1.7 Technology	Heater	Heater safety guard	Control unit/furnace
☐Free-standing			
heater	Finnish sauna	Yes	
☐Wall-mounted		No	
heater			
☐ Rear wall	Combi sauna	Railing according to model	
heater		cut-off rocket switch	according to
		(necessary for remote start)	sentiotec catalogue
1.8 Technology	Light	LED Light	Soundsystem
	Lamp guard		
	Standard	LED in backrest white light	
		LED in backrest RGBW	according to
		LED flush sauna bench white light	according to sentiotec catalogue
	\\\\\\\\	LED flush sauna bench RGBW	Sentiolec catalogue
		LED-Spots white light	
Illiniana	LED-Spots RGBW		

