# sentiotec

SAUNA & SPA

Sauna cabins • Infrared cabins • Steam baths

TAT INTERNATION OF THE



# SAUNA CABINS

Solid wood saunas Element saunas Garden saunas Custom-made saunas

# **INFRARED CABINS**

Solid wood infrared cabins Element infrared cabins Custom-made saunas

# **STEAM BATHS**

Custom-made saunas

# **KEY TO ICONS**

# FEELING UTTERLY AT EASE.

Wellness is a well-rounded affair. As a full-service supplier for every part of the SPA – from the sauna to infrared lighting and steam baths – we supply compelling solutions that satisfy individual expectations. We rely on in-house development and production to guarantee the highest standards of quality.

We don't just use any old wood for the interior fittings in our cabins. After all, the wood must be able to withstand extreme fluctuations in temperature. The quality of European spruce is particularly good, however high-quality woods such as aspen, hemlock and linden are also outstandingly suited for this. What distinguishes us is the close relationship and contact we maintain with our customers. This results in pioneering innovations and continual product improvements that are showcased in this catalogue as well. A functional and well-thought-out product range guarantees easy installation and user-friendly operation. This is true of both our standard range of cabins and for our custom-made solutions. You don't need to worry about the technology or how to implement it. That's the service we offer.

In particular, the modular design of our made-tomeasure steam baths has proved its worth over the last few years. The sentiotec Spa Modules allow your individual plans to be realised straightforwardly and pragmatically. Place your trust in one of the industry's market leaders in this area as well.



- 74 77
  - 78



æ





Alaska View Page 16 W 2060 x D 2060 x H 2040 mm



Page 21

Polaris Large W 2340 x D 2060 x H 2040 mm



Comfort Large Page 25 W 2080 x D 2060 x H 2040 mm



Wellfun Large Page 29 W 2064 x D 2052 x H 2040 mm




Basic Large Page 33 W 1945 x D 1865 x H 2040 mm



Alaska Mini Infra+ Page 14 W 1600 x D 1100 x H 2040 mm

æ



Alaska Mini Page 17 W 1600 x D 1100 x H 2040 mm



Comfort Corner Large Page 23 W 2340 x D 2060 x H 2040 mm



Comfort Small Page 26 W 2080 x D 1580 x H 2040 mm



Wellfun Mini Page 30 W 1450 x D 1450 x H 2040 mm



Basic Medium W 1945 x D 1560 x H 2040 mm



Alaska Corner Page 15 W 2060 x D 2060 x H 2040 mm



Arctic Infra+ W 2340 x D 2060 x H 2040 mm



Page 19

Comfort Corner Page 24 W 2060 x D 2060 x H 2040 mm



Wellfun Corner Page 28 W 2052 x D 2052 x H 2040 mm



Basic Corner Page 32 W 1944 x D 1865 x H 2040 mm





æ

Panorama Large W 2139 x D 2152 x H 2010 mm



æ

Lava W 3790 x D 3240 x H 2600 mm

Page 41 Scala Large



Kuusi W 4070 x D 2835 x H 2700 mm

Kaski



M 

M Q

Style / Easy 70 Outdoor

Page 49



MiniMy Page 71 W 1030 x D 1250 x H 2020 mm



W 1286 x D 907 x H 1900 mm


































Venus Vital



Alpina Outdoor



S

# Heat has a noticeable effect on the body: 1

- lowering blood pressure
- maintaining the flexibility of the blood vessels
- improving the function of the arteries
- reducing blood fats
- reducing inflammation



# A VISIT TO THE SAUNA INCREASES THE HEART RATE AND IS COMPARABLE TO PLAYING SPORT. 1

People who go to the sauna 4 to 7 times per week reduce: 1

the risk of heart-related death by 50%

the risk of dementia by **64%** 

> the risk of Alzheimer's by **65%**

the risk of high blood pressure by **47%** 

the risk of lung disease by **41%** 

the risk of a stroke by 62%

"Regular sauna use has been associated with a lower risk of heart disease, sudden cardiac death, high blood pressure and memory loss."

JARI LAUKKANEN AND TANJANINNA LAUKKANEN: "SAUNA, BODY AND MIND" (12/2020)

Should doctors also prescribe saunas - alongside medication, therapies and physical activity - for the prevention and treatment of diseases? PROFESSOR HANS HÄGGLUND

APPROX.

# Saunas are good for the brain as well: <sup>2</sup>

- warming up the body
- promoting blood circulation
- reducing inflammation
- releasing endorphins
- improving sleep
- providing social interaction

Heat releases endorphins, ocytocin and serotonin, improving mood and increasing well-being.<sup>1</sup>



# 83% OF THE STUDY PARTICIPANTS

# **SLEPT BETTER AFTER ONE** SAUNA SESSION.

HUSSAIN, GREAVES & COHEN 2019

"A visit to the sauna reduces anxiety and improves concentration."

Kuusinen & Heinonen 1972

# Healing with heat



Heat can help us to feel healthier. Whether you choose a sauna, an infrared cabin or a steam bath. The soothing heat can boost your immune system, lift your spirits, relax your muscles, improve your skin's appearance and much more.

When you take a sauna, you are engaging in a primal and natural body experience: a shared experience of nature. This is in marked and obvious contrast to the digitalised world in which we live. The offline environment of a sauna is the perfect antidote to stress and information overload. It's essentially relaxation at a physical and mental level.

### **IMPORTANT:**

For all heat treatments, the maximum session time is 15 minutes. As the body temperature rises sharply, you may experience circulatory problems. Treat your body to some rest and relaxation after a sauna session.

# SAUNA

In the sauna, the temperature is high (up to 100 °C) and the humidity is low. The body is heated from the outside and you start to sweat. An infusion can also increase the heat for a short time to make you sweat even more.

There are different types of sauna:

- Smoke sauna (original form)
- Traditional Finnish sauna
- Electrically heated sauna
- Wood-fired sauna
- Bio sauna
- Hybrid sauna





# STEAM BATH

Steam baths are also hot and cause you to sweat. One difference between steam baths and saunas is the temperature. In a steam bath, the temperature is lower (45–55 °C) but the humidity is higher, at almost 100%. A steam bath can have especially positive health benefits for rheumatic complaints and cold symptoms.

There are also different types of steam bath:

- Traditional steam bath
- Herbal / aromatherapy
- Salt mist applications
- Hammam


# INFRARED

With an infrared full spectrum radiator, you can bring the sun into your home. The temperature in an infrared cabin is 30 - 45 °C (according to ÖNORM M6219-4). The body does not have to expend extra energy to warm up or cool down.

Due to the deep heat effect, the whole body heats up from the inside out. The blood is warmed via the skin and is then distributed throughout the body. The blood vessels dilate, promoting blood circulation and allowing muscle tension to be released.











# SAUNA CABINS

# SOLID WOOD SAUNA

Alaska Corner

# **ELEMENT SAUNA**

# GARDEN SAUNA

# CUSTOM-MADE SAUNAS

13 14 15 16 17
19 21 23 24 25 26
28 29 30 32 33 34
36 37 39
41 42 43 44 45

46
48
49
54
55



# Alaska Corner Infra+ 2x 350 W 680 x 1915 x 8 mm 40 mm





Datasheet

#### Features:

- Cabin made of solid spruce
- Solid roof elements with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - Adjustable head piece
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-AL-C-IR / 1-053-358)


NEW

### **Product details:**

- Dimensions 2060 x 2060 mm
- Door made of single pane safety glass (680 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (755 x 1945 x 8 mm)
- 2 IR red-light, full-spectrum radiators, each 350 W (incl. wooden backrest)
- Control unit for infrared radiators (1 circuit)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna lamp
- Assembly material and instructions







Recommended heating output: 7.5 – 9 kW Item no. ALASKA-C-IR+ / 1-030-267 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



# Alaska Mini Infra+








Datasheet

# Features:

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 1 x 620 mm bench, 1 x 350 mm footstep
  - 1 headrest
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 625 x D 355 mm)
  - Lamp with protection without bulb
- Optional:
  - LED set for coloured light in your cabin (item no. LED-AL-M-IR / 1-053-359)

# Product details:

- Dimensions 1600 x 1100 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm)
- Single pane safety glass element, clear (365 x 1945 x 8 mm)
- 1 IR red-light, full-spectrum radiator, 350 W (incl. wooden backrest)
- Control unit for infrared radiator (1 circuit)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 3.6 kW Item no. ALASKA-MN-IR+ / 1-030-245 Cabin height: 2040 mm Mirrored assembly option Person capacity: 2





Datasheet

### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-AL-C / 1-053-360)

# Product details:

- Dimensions 2060 x 2060 mm
- Doors made of single pane safety glass (680 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (755 x 1945 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions

14 **Sentiotec** · Solid wood sauna





Recommended heating output: 7.5 – 9 kW Item no. ALASKA-C / 1-030-269 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5









Dulusneel

### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb

• Optional:

 LED set for coloured light in your cabin (item no. LED-AL-V / 1-053-361)

# Product details:

- Dimensions 2080 x 2060 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm)
- Single pane safety glass element, clear (674 x 1945 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 7.5 – 9 kW Item no. ALASKA-V / 1-040-132 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5





Datasheet

### Features:

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 1 x 620 mm bench, 1 x 350 mm footstep
  - 1 headrest
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 625 x D 355 mm)
  - Lamp with protection without bulb
- Optional:


• LED set for coloured light in your cabin (item no. LED-AL-M / 1-053-362)

# Product details:

- Dimensions 1600 x 1100 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm)
- Single pane safety glass element, clear (224 x 1945 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions








Recommended heating output: 3.6 kW Item no. ALASKA-MN / 1-030-270 Cabin height: 2040 mm Mirrored assembly option Person capacity: 2











Datasheet

#### Features:

- Cabin made of solid spruce
- Solid roof element
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille
  - (W 530 x D 611 x H 755 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-AR-IR / 1-053-363)


#### Product details:

- Dimensions 2340 x 2060 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass elements, clear (464 x 1945 x 8 mm / 481 x 1945 x 8 mm)
- 2 IR red-light, full-spectrum radiators, each 350 W (incl. wooden backrest)
- Control unit for infrared radiator (1 circuit)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions










Recommended heating output: 7.5 – 9 kW Item no. ALASKA-IR+ / 1-030-271 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5











### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  3 benches (2 x 620 mm and 1 x 530 mm)
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 550 x D 520 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:

LED set for coloured light in your cabin (item no. LED-PO-L / 1-053-364)

# Product details:

- Dimensions 2340 x 2060 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions





Recommended heating output: 7.5 – 9 kW Item no. POLARIS-L / 1-030-277 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



# Komfort Corner Large







#### Features:

FORT


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  3 x 620 mm benches

  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 550 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for colour light in your cabin (item no. LED-KO-C-L / 1-053-365) NEW

#### Product details:

- Dimensions 2340 x 2060 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (346 x 1776 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions





Recommended heating output: 7.5 – 9 kW Item no. COMFORT-C-L / 1-030-275 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



# **Komfort Corner**









# Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb

• Optional:

 LED set for coloured light in your cabin (item no. LED-KO-C / 1-053-366)

# Product details:

- Dimensions 2060 x 2060 mm
- Door made of single pane safety glass
   (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (346 x 1776 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 7.5 – 9 kW Item no. COMFORT-C / 1-030-274 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



Datasheet

#### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-KO-L / 1-053-367)

# Product details:

- Dimensions 2080 x 2060 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (506 x 1776 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions







Recommended heating output: 7.5 – 9 kW Item no. COMFORT-L / 1-030-273 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



# Komfort Small







### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of linden
  - 2 benches (1 x 620 mm and 1 x 530 mm)
  - 1 headrest
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 550 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb

Optional:


- LED set for coloured light in your cabin (item no. LED-KO-S / 1-053-368) NEW

# Product details:

- Dimensions 2080 x 1580 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass element, clear (506 x 1776 x 8 mm)
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 6 kW Item no. COMFORT-S / 1-030-276 Cabin height: 2040 mm Mirrored assembly option Person capacity: 3



sentiotec · Solid wood sauna

# Wellfun Corner







### Datasheet

#### Features:

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Wellfun" interior made of linden
  - 3 x 600 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 530 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-WE-C / 1-053-369)

# Product details:

- Dimensions 2052 x 2052 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions

Recommended heating output: 7.5 – 9 kW Item no. WELLFUN-C / 1-030-303 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



Datasheet

### Features:


- Cabin made of solid spruce
- Solid roof element with roof rim
- "Wellfun" interior made of linden
  - 3 x 600 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 550 x D 455 x H 750 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-WE-L / 1-053-370)

# Product details:

- Dimensions 2064 x 2052 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions







Recommended heating output: 7.5 – 9 kW Item no. WELLFUN-L / 1-030-302 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5







### Features:

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Wellfun" interior made of linden
  - 2 benches (1 x 600 mm and 1 x 310 mm)
  - 1 headrest
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 490 x D 350 x H 80 mm)
  - Floor grid
  - Lamp with protection without bulb

Optional:


- LED set for coloured light in your cabin (item no. LED-WE-M / 1-053-371) NEW

# Product details:

- Dimensions 1450 x 1450 mm
- Door made of single pane safety glass (590 x 1915 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions

1450 1440 1440

Recommended heating output: 3.6 kW Item no. WELLFUN-MN+ / 1-030-304 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5



sentiotec · Solid wood sauna









# Features:

- Cabin made of solid spruce
- Roof element
- "Basic" interior made of spruce
  - 3 x 500 mm wide benches
  - 1 headrest
  - Ventilation slit
  - Heater protection grille (W 550 x D 450 x H 710 mm)
  - Lamp protection with lamp, no bulb


#### Optional:

- LED set for coloured light in your cabin (item no. LED-BA-C / 1-053-372)

# **Product details:**

- Dimensions 1944 x 1865 mm
- Door made of single pane safety glass (647 x 1695 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions

Recommended heating output: 7.5 – 9 kW Item no. BASIC-C / 1-048-896 Cabin height: 2040 mm



Recommended heating output: 7.5 – 9 kW Item no. BASIC-C / 1-048-896 Cabin height: 2040 mm Person capacity: 5



Datasheet

#### Features:

- Cabin made of solid spruce
- Roof element
- "Basic" interior made of spruce
  - 3 x 500 mm wide benches
  - 1 headrest
  - Ventilation slit
  - Heater protection grille (W 550 x D 450 x H 730 mm)
  - Lamp protection with lamp, no bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-BA-L / 1-053-373) NEW


# Product details:

- Dimensions 1945 x 1865 mm
- Door made of single pane safety glass (647 x 1695 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions

sentiotec · Solid wood sauna 32







Recommended heating output: 7.5 – 9 kW Item no. BASIC-L / 1-030-306 Cabin height: 2040 mm Mirrored assembly option Person capacity: 5










#### Features:


- Cabin made of solid spruce
- Roof element
- "Wellfun" interior made of linden
  - 3 x 500 mm wide benches
  - 1 headrest
  - Ventilation slit
  - Heater protection grille (W 550 x D 450 x H 730 mm)
  - Lamp protection with lamp, no bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-BA-M / 1-053-374) NEW

# Product details:

- Dimensions 1945 x 1560 mm
- Door made of single pane safety glass (647 x 1695 x 8 mm) left or right hinged
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 6 kW Item no. BASIC-M / 1-030-305 Cabin height: 2040 mm Mirrored assembly option Person capacity: 4











### Features:


- Element cabin made of spruce
- Roof element with roof rim
- "Panorama" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 560 x D 475 x H 580 mm)
  - Floor grid
  - Lamp with protection without bulb

• Optional:

• LED set for coloured light in your cabin (item no. LED-PA-L / 1-053-375)

# Product details:

- Dimensions 2139 x 2152 mm
- Door made of single pane safety glass
   (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass elements, clear (694 x 1952 x 8 mm)
- 12.5 mm sturdy tongue and groove boards
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions



Recommended heating output: 7.5 – 9 kW Item no. PANORAMA-L / 1-038-850 Cabin height: 2010 mm Mirrored assembly option Person capacity: 5



Datasheet


#### Features:

- Element cabin made of spruce
- Roof element with roof rim
- "Panorama" interior made of linden
  - 3 x 620 mm benches
  - 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille (W 526 x D 455 x H 580 mm)
  - Floor grid
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-PA-S / 1-053-376)

# Product details:

- Dimensions 2139 x 1642 mm
- Door made of single pane safety glass
   (590 x 1915 x 8 mm) left or right hinged
- Single pane safety glass elements, clear (694 x 1952 x 8 mm)
- 12.5 mm sturdy tongue and groove boards
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Assembly material and instructions





Recommended heating output: 7.5 – 9 kW Item no. PANORAMA-S / 1-030-309 Cabin height: 2010 mm Mirrored assembly option Person capacity: 4









Datasheet

#### Features:

- Element cabin made of abachi
- Black aluminium frame (for the glass front)
- Interior made of abachi
  - 2 benches (1 x 50 cm and 1x 40 cm)
  - Ventilation slide
  - Heater protection grille
  - Floor grid
- Lamp protection grille (incl. lamp)


### Product details:

- Dimensions 1600 x 1600 mm
- Door made of single pane safety glass (1808 x 600 x 8 mm) hinge on right
- Single pane safety glass element, clear
- Aluminium frame black

**"Onni"** means **"happiness"** in Finnish and you will experience blissful moments in your Onni sauna.

ONNI

It is the ideal cabin for beginners and guarantees pure relaxation, not only with its design, but also its simple operation. Enjoy the soothing warmth in your own little bit of bliss – **Onni sauna**.



Recommended heating output: 7.5 – 9 kW Item no. S-ONNI-160-160, 1-053-080 Cabin height: 2000 mm Person capacity: 4



SAUNA CABINS










#### Features:

- Approx. 70 mm solid spruce block planks with double tongue and groove
- Separate lobby
- 19 mm floor boards as base
- Impregnated base frame
- Roof overhang 250 mm at side and rear, 800 mm at front
- Double-glazed fixed window (1190 x 690 x 70 mm)
- Door made of single pane safety glass from the lobby into the sauna
- Outer lockable wooden door with glass
- "Prestige" interior made of linden
  - 3 x 620 mm wide benches
  - 2 backrests
  - Intermediate bench panel
  - Heater protection grille
  - Lamp with protection without bulb
- Optional:
- LED set for coloured light in your cabin (item no. LED-LAVA / 1-053-377)

### Product details:

- Dimensions: Sauna 3450 x 2340 mm Roof 3790 x 3240 mm
- Door (680 x 1980 mm), right hinge with double-glazed glass
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Roofing felt and mounting material
- Assembly material and instructions





Recommended heating output: 9 – 10.5 kW Item no. LAVA / 1-053-072 Ridge height 2600 mm Inside height of sauna 2100 mm Person capacity: 5

Garden sauna · **Sentiotec** 41









#### Features:

- With terrace and own lobby
- 40 mm solid spruce block planks with double groove
- 19 mm floor boards as base
- Impregnated base frame
- Roof overhang 300 mm at side and rear, 800 mm at front
- Double-glazed fixed window (1587 x 506 x 16 mm)
- Door made of single pane safety glass from the lobby into the sauna (590 x 1915 x 8 mm)
- Outer lockable wooden door with glass
- Linden interior fittings
  - 2 benches 600 mm wide, 1 bench 500 mm wide
  - 2 headrests & 2 backrests
  - Heater protection grille
  - Lamp with protection without bulb
- Optional:
  - LED set for coloured light in your cabin
  - (item no. LED-SC-L / 1-053-379)

### Product details:

- Dimensions 4070 x 2835 mm
- Door (706 x 1886 x 40 mm) right with double-glazed glass
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Roofing felt and fixing material for initial roofing - final roofing on site
- Assembly material and instructions

Recommended heating output: 9 – 10.5 kW Item no. SCALA-L, 1-053-023 Ridge height 2700 mm, interior sauna height 1980 – 2240 mm Person capacity: 5



Datasheet

#### Features:

- With terrace
- 40 mm solid spruce block planks with double groove
- 19 mm floor boards as base
- Impregnated base frame
- Roof overhang 300 mm at side and rear, 800 mm at front
- Double-glazed fixed window (1587 x 506 x 16 mm)
- Outer lockable wooden door with glass
- Linden interior fittings
  - 2 benches 600 mm wide, 1 bench 500 mm wide
  - 2 headrests & 2 backrests
  - Heater protection grille
  - Lamp with protection without bulb
- Optional:

• LED set for coloured light in your cabin


(item no. LED-SC-M / 1-053-380)

### **Product details:**

- Dimensions 3210 x 2835 mm
- Door (706 x 1886 x 40 mm) left with double-glazed glass
- 3 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater
- 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light
- Roofing felt and fixing material for initial roofing – final roofing on site
- Assembly material and instructions

sentiotec · Garden sauna 42





Recommended heating output: 9 – 10.5 kW Item no. SCALA- M, 1-053-022 Ridge height 2700 mm, Interior sauna height 1980 – 2240 mm Mirrored assembly option Person capacity: 5















# Features:

- Cabin made of spruce, staves 40 mm (wall 40 mm)
- Interior made of linden
  - 2 benches (width: 60cm)
  - 2 backrests
  - floor grid 2-pieces
- LED bar white light, dimmable, 76 cm long
- Incl. roof covering bitumen roof shingle black
- Clear glass door made of 8 mm ESG glass
- Feet made of impregnated wood
- Heater protection grille
- Suitable for electric and woodburning heaters
- Mounting material und -instructions
- Optional:
- LED set for color light in your cabin NEW
  - LED protective box (item no. 1-053-611 / LED-PB-TP)
  - Window element "half glass" 1
  - Window element "full glass" <sup>2</sup>

"Kuusi" means spruce in Finnish and refers to the type of wood from which the new sauna barrel is made.

Available in three different sizes, our "Kuusi" fits into almost any garden. Optionally, one variant offers you a small terrace with seating, to enjoy and linger.

If you like more daylight in your cabin, you can choose from two different window elements to let the sunshine in.



Datasheet

# Features:

- Cabin made of thermo-pine, staves 40 mm (Wall 40 mm)
- Interior made of linden
  - 2 benches (width: 60cm)
  - 2 backrests
  - Floor grid, 2-pieces
- LED bar white light, dimmable, 76 cm long
- Incl. roof covering bitumen roof shingle black
- Clear glass door made of 8 mm ESG glass
- Feet made of impregnated wood
- Heater protection grille
- Suitable for electric and woodburning heaters
- Mounting material und -instructions
- Optional:
- LED set for color light in your cabin NEW
  - LED protective box (item no. 1-053-611 / LED-PB-TP)

sentiotec · Garden sauna 44





The idea for a new sauna barrel for the sentiotec cabin range fell on "fertile soil" the Finn would say "Kaski".

The new "Kaski" barrel sauna from sentiotec offers the cosy atmosphere of a barrel combined with the option of a view. The sauna barrel is available in two different glazing options (half-glass <sup>1</sup> or full-glass <sup>2</sup>) and three different sizes each.

The dark thermo-pine wood harmonises perfectly with the linden interior and gives the whole barrel a stylish touch.



# Individual custom sauna

Sauna cabin made to measure

Many people dream of having their own sauna at home. Due to structural restrictions, roof slopes or special property boundaries, this dream cannot be realized with a standard cabin.

We at sentiotec are specialized in special situations and plan your dream sauna to the millindentre and adapted to the space provided for it. A disabled-accessible version is also possible. You have the choice of different types of wood or – in the outdoor area – even of different colours according to your taste.

We are also happy to advise you on the lighting concept in the cabin and help select the perfect technology. If you prefer the advantages of infrared, radiators can be placed at your ideal height.

No wish is too unusual for us. We create sauna cabins that guarantee satisfaction through personal and close contact with our customers.

Let your dreams become reality with a custom-made sauna from sentiotec.

# The advantages of a custom-made sauna:

- own, individual height
- variable floor space to the centimetre
- fitted into the roof slope
- made-to-measure glass surfaces
- adjustable bench surface widths
- decorative wood types can be selected for the interior (p. 48)
- colour of the rhomboid cladding for our garden saunas can be selected as desired (p. 50)
- access for disabled persons
- infrared, exactly where you want it
- consultation and creation of the perfect sauna experience

# CUSTOM-MADE SAUNAS





# Indoor sauna cabins

Element and solid wood sauna

# Solid wood cabin "Style"



- Solid spruce, 40 mm
- without knots
- Variable size (to the centimetre)
- Further information on page 48

# Element cabin "Carat"



- Wood outside and inside can be selected
- Types of wood: Aspen, spruce, hemlock, Swiss pine
- Variable size (to the centimetre)
- Further information on page 48

# Solid wood cabin "Easy"



- Solid spruce, 40 mm
- with knots
- Variable size (to the centimetre)
- Further information on page 48

# Element cabin "Lindea"



- Natural linden and/or thermo-linden outside and inside
- Special feature: Lindea decor with black shadow gap
- Variable size (to the centimetre)
- Further information on page 49

# Sauna cabins for the garden

Element and solid wood sauna

# Solid wood cabin "Style / Easy 70 Outdoor"



- Solid spruce, 70 mm
- Variable size (to the centimetre)
- Further information on page 50

# Element cabin "Alpina Outdoor"



- Interior wood can be selected types of wood: Swiss pine, hemlock, aspen and spruce
- Exterior rhomboid cladding in spruce - available in several colours
- Individually configurable on-site if desired (without outer décor)
- Variable size (to the centimetre)
- Further information on page 50










# Indoor sauna cabins

Element and solid wood sauna



This way to the enquiry form:

■ 5 silicon cables 5 x 2.5 mm<sup>2</sup> for sauna heater

■ 3 silicon cables 3 x 1.5 mm<sup>2</sup> for sauna light

Product details:

Roof element with roof rim


Assembly material and instructions



# **Basic configuration:**

- Single pane safety glass door 8 mm incl. linden door handles
- "Prestige" bench made of linden
  - 2 x 620 mm wide benches
  - Additionally from cabin depth of 1,800 mm or more:
  - Corner bench 620 mm wide
  - 1 2 headrests
  - Ventilation slit
  - Backrests
  - Intermediate bench panel
  - Heater protection grille
  - Floor grid
  - Lamp protection with lamp, no bulb
- Further options at a surcharge from page 53

# Element cabin: Interior woods and façades:



# Solid wood cabin: Quality





without knots

with knots





# Indoor sauna cabins – Lindea

Element cabin



### Our Lindea is brand new in our range of custom-made saunas. The entire interior and décor is made solely of linden. Other versions are available on request.

# Special features of shadow gap:

This design element creates beautiful contrasts which is relaxing to the eye. The décor is attached to the black rear wall, so that individual elements can be easily replaced in the event of heavy wear and tear, for example due to intensive infusions. This helps your sauna to shine in new splendour at a reasonable price. The décor elements are made of linden or thermo-linden or both.

# Wall thickness:

The total wall thickness is 110 mm (70 mm + 40 mm Lindea decor)










# Sauna cabins for the garden

Element and solid wood sauna

# Solid cabin "Style 70 Outdoor"

# Element cabin "Alpina Outdoor"





Solid spruce 70 mm

### **Basic configuration:**

- 50 or 80 mm insulation (element cabin)
- Lockable wooden door with glass insert
- 19 mm floor boards as base
- Impregnated base frame
- Prestige interior made of linden
- Benches
- Headrests
- Backrests

52

Bench screen

# Element cabin, 80 and 110 mm


- Ventilation slide
- Heater protection grille
- Floor grid
- Lamp protection with lamp, no bulb
- Roofing felt and mounting material
- On-site roof covering
- Rhomboid cladding 20 mm in spruce incl. facade with rear ventilation or with the on-site décor option




### Dimensions:

- With an individual height and variable floor space
- Floor plan max. 5 x 3.5 m
- the lobby can be adapted individually

# Element cabin: Interior woods and façades:













Element and solid wood sauna

# Product details:

- Optionally available with a large edge rounding.
- made of linden or thermo-linden

















Easy<sup>2</sup>



<sup>1</sup> LED installation possible <sup>2</sup> large edge rounding not possible

# For individualists:

You can also combine your bench configuration! Freely selectable bench configurations:

- Floor grid
- Radiator covers
- Heater protection grille
- Backrests
- Bench screen
- Bench foot (page 53)



Bench configuration "Emotion"

# Extras with surcharge

Element and solid wood sauna

# Bench foot cladding for glass fronts:

- Linden or thermo-linden
- Bench configuration (page 52) freely selectable



Stainless steel foot

Bench foot 1 height "Prestige"

# Adjustable head piece



Bench configuration "Emotion"

# Adjustable head and foot piece



Bench configuration "Emotion"





Bench foot 2 heights "Prestige"

Bench foot 1 height "Emotion LED"

 Adjustable at various heights Easy to use with handle Stainless

Ergonomic Varying heights Head & foot part independently adjustable ■ Space-saving – ideal for small cabins



# Extras with surcharge

Element and solid wood sauna

### Infrared

If you wish to have infrared in addition to the advantages of the classic sauna,

we can also accommodate this. Hybrid saunas are very desirable and combine many advantages. Tension can be released through the deep heat ...





### Himalayan salt crystals

The ideal temperature in a salt sauna is when the air temperature is about 65 °C. In combination with the salt crystals and the gentle warming, the hygroscopic properties of the salt are activated. Due to the natural humidity, the salt condenses on the surface of the salt stones and triggers the natural ionisation process.

The salt is not only absorbed through the respiratory tract, but also through the skin. The heat of the sauna opens the pores of the skin and enables the absorption of many of the 84 valuable minerals contained within the salt. Salt sauna sessions increase circulation below the skin and

also in the lining of the lungs, reducing inflammation, redness, swelling, itching and dryness, which can also reduce the frequency and severity of eczema outbreaks.

Another benefit of having a salt wall in the sauna is the soft and natural pink colour. This colour can be enhanced by the use of LED lights. The reflective heat and glow of the LED lights create a space to feel good and switch off. Especially during the cold autumn and winter months, you will feel like a new person afterwards.

# Sound & light

We also plan the perfect staging of your sauna. Indirect lighting in the colours of the rainbow is no problem. In our range you will find user-friendly controls that will turn your sauna session into an experience.

# Where there is light, there must also be sound!

Good sound quality in your sauna is guaranteed with the smart solutions from sentiotec. Even operating your sauna by voice control is no longer a dream of the future and can be made reality in your dream sauna.











# INFRARED CABINS

SOLID INFRARED ( VitaMy

ELEMENT INFRARI VenusVital Onni Small

CUSTOM-MADE SAU

CABIN	61 63	
ED CABIN	65 67 68	

UNAS 70	UI	NAS		70
---------	----	-----	--	----







#### Features:

VITAMY


& M

- Sauna cabin dimensions: 1640 x 1250 x 2020 mm (WxDxH)
- Door made of single pane safety glass incl. wooden handle (590 x 1915 x 8 mm)
- Single pane safety glass element, clear (2x 474 x 1945 x 8 mm)
- IR control unit (PRO D Infra) with 2 dimmable heating circuits, IR plates can also be connected
- Dimmable LED lighting (warm white)
- 2x 350 W ECO full-spectrum radiators (back)
- 2x 500 W ECO full-spectrum radiators (front)
- 2x 100 W infrared heat plates (for calves)
- 1x vent (round) available as an option: Fan
- 2x soapstone bowl for sauna fragrance oils
- Infrared radiation with glass: A 24%, B 55%, C 21%
- 2 ergonomic backrests
- Individually adjustable benches

#### Product details:

- Sauna size: 1640 mm x 1250 mm
- Room length: 1200 mm






Item no. VITAMY-164-B, 1-037-765 Cabin height: 2020 mm Person capacity: 2



C A B I N S INFRARED INFRARED









Datasheet

### Features:


- Sauna cabin dimensions: 1030 x 1250 x 2020 mm (WxDxH)
- IR control unit (PRO D Infra) with 2 dimmable heating circuits, IR plate can also be connected
- Dimmable LED lighting (warm white)
- 1x 350 W ECO full-spectrum radiators (back)
- 1x 500 W ECO full-spectrum radiators (front)
- 1x 100 W infrared heat plate (for calves)
- 1x vent (round) available as an option: Fan
- 1x soapstone bowl for sauna fragrances
- Infrared radiation with glass: A 24%, B 55%, C 21%
- Single pane safety glass element, clear
- Door made of single pane safety glass incl. wooden handle (590 x 1915 x 8 mm)
- 1 ergonomic backrest

#### Product details:

- Capacity: 1 people
- Sauna size: 1030 mm x 1250 mm
- Room length: 1150 mm

Item no. MINIMY-120-B, 1-045-570





Item no. MINIMY-120-B, 1-045-570 Cabin height: 2020 mm Person capacity: 1



C A B I N S INFRARED INFRARED









#### Features:

- Dimensions: 1286 x 907 x 1900 mm (WxDxH)
- Hemlock on inside and outside
- With adjustable heating elements
- Bench made of hemlock

### Product details:


- Door made of single pane safety glass (572 x 1725 x 6 mm)
- 2x IR red-light full-spectrum radiators 400 W (back)
- 2x 250 W heat plates (side)
- 1x 300 W heat plate (calves)
- 2x 100 W heat plates (floor)
- Interior digital control unit
   Colour light (7 colours, 2 programs)
- Fan
- Door hinge on right
- Infrared radiation with glass: A 9%, B 24%, C 67%



1		.86
	≥ 400W	400W >
£06	550 250	400 M 004 5200
	300	0W

Item no. VENUS-V, 1-045-385 Cabin height: 1900 mm Person capacity: 2





**"Onni"** means **"happiness"** in Finnish and you will experience blissful moments in your Onni infrared cabin.

It is the ideal cabin for beginners and guarantees pure relaxation, not only with its design, but also its simple operation. Enjoy the soothing warmth in your own little bit of bliss – Onni infrared cabin.








#### Features:

- Element cabin made of abachi
- Dimensions: 1300 x 1043 x 2000 mm
- 2x 400 W IR red-light full-spectrum radiators dimmable (back)
- 2x 300 W heat plates (side)
- 1x 200 W heat plate (calves)
- 1x 200 W heat plates (floor)
- Aspen wood
- Interior digital control unit
- Reading light
- Coloured light
- Radio and MP3 player (USB port and Bluetooth)
- Door hinge on right
- Infrared radiation with glass: A 5 %, B 24 %, C 71 %



Item no. IR-ONNI-130-104, 1-053-079 Cabin height: 2000 mm Person capacity: 2











### Features:

- Element cabin made of abachi
- Dimensions: 1000 x 1043 x 2000 mm
- 1x 400 W IR red-light full-spectrum radiators dimmable (back)
- 2x 300 W heat plates (side)
  1x 200 W heat plate (calves)
- 1x 200 W heat plates (floor)
- Aspen wood
- Interior digital control unit
- Reading light

- Coloured light
- Radio and MP3 player (USB port and Bluetooth)
- Door hinge on right
- Infrared radiation with glass: A 5 %, B 24 %, C 71 %



Item no. IR-ONNI-100-104, 1-053-078 Cabin height: 2000 mm Person capacity: 1





#### Infrared cabin

### Custom-made IR cabins

- Available as: Element or solid sauna
- Scope of delivery:
  - Full single pane safety glass doors 8 mm incl. linden or wood-stainless steel door handle
  - Prestige interior made of linden
  - Bench
  - Bench screen
  - Floor covering in pine
  - Lamp protection with lamp, no bulb
- In addition to:
  - IR radiator for recess
  - Radiator covers
  - Heat plates
  - Extendable bench ("VitaMy")
  - Glass front
  - Roof slope
  - Black wipe-down base
- Other individual features on request
- The IR equipment features are also suitable for operation in the sauna

# Optional equipment: deep infrared warmth



 Infrared full spectrum radiator, control unit, frame and installation




Infrared heating plates


# Ergonomic infrared backrest








Available in 2 types of wood (light and dark)













C A B I N S 🗾 I N F R A R E D





# CUSTOM-MADE SAUNAS

# Custom-made Spa Modules

Steam baths made to measure



### sentiotec Spa Modules for your wellness area.

The Spa Modules allow you to have your dream steam bath configured by us; from the walls to the interior fittings. The compact design allows them to be customised for small spaces and makes the modules guick and easy to install. Showers and pools won't be a problem for the flexible modules made of extruded polystyrene (XPS) either.

#### sentiotec Spa Modules are:

- easy and fast to install
- adaptable
- light in weight, yet heavy duty
- particularly water repellent
- absorb heat easily
- made of extruded polystyrene (XPS)

The sentiotec Spa Modules encompass wall, roof, seat and any other parts as ready-to-install components. The installed module then needs to be primed so it is waterproof, and be individually tiled. (Tiles and primer are not included with the delivery.) We leave our customers room for creativity. They are suitable for use in the home bathroom, in public spas, in fitness studios, hotels, and so on.

### We can customise the following products for you:

- Steam baths
- Shower areas
- Cooling room, ice room
- Furniture (lounges, benches, water trays, ...)

### We can also offer you the following accessories:

- Harvia HGX and HGP steam generators and accessories
- Doors with an aluminium frame
- Starry sky
- Steam fountain




# sentiotec Spa Modules for your wellness area.

Showers are part of every wellness area. The sentiotec Spa Module showers make it easy and straightforward to plan and install your showers. Snail shaped showers or round ones, with or without curves, our modules let you structure your wellness area individually, even at home.

### We currently offer 3 different models:

- "Round" shower 2100 mm high
- "Snail" shower 2100 mm high
- "Tulip" shower 2500 mm high
- Customised models available



# sentiotec Spa Module benches aren't just comfortable but also stylish.

It doesn't matter how long and wide your steam bath is, we can adapt the size to your individual reguirements. They are easy to tile to suit your requirements. Tiles are not included – please explore your creativity!

# We currently offer five different benches:








Bank Basic 1






Custom-made saunas · **Sentiotec** 

# Custom-made Spa Modules

Steam baths made to measure



### Relax modules

Relax modules will tempt you to take a break. The lightweight modules can be placed wherever you like, and be tiled individually. (Tiles are not included – please explore your creativity!)

# We currently offer 3 different types of relax modules:

- "Relax"
- "Sleep"
- "Couch"
- All our relax modules are available with or without integrated electric heating.



#### Door with aluminium frame

The door with an aluminium frame is an excellent solution for steam baths. They were specifically developed for steam bath conditions. They create a uniform appearance throughout your entire wellness area. The glass door is made of 8 mm thick safety glass.

Our doors are fitted so that no screw heads are visible. The door handle is made of aluminium and the glass is available in the following versions: bronze, smoky grey, clear and satin.



76

### Steam bath lighting

To set your steam bath in scene, we also offer you different types of steam bath lighting. Create a pleasant environment with light crystals from sentiotec.


# We currently offer you four different crystal options:

- Polyhedron crystal
- Round crystal
- Diamond crystal, short
- Diamond crystal, long





# Icon explanation





# Warranty conditions

#### sentiotec GmbH is convinced of the quality of its products, and we want you to benefit from them in the future!

#### Warranty conditions for technology

We provide a 2-year manufacturer's warranty on all of our control units in the sentiotec sauna, sentiotec infra and sentiotec light&media product lines. We provide a 2-year manufacturer's warranty for infrared radiators and additionally 5000 operating hours for DIR radiators. The warranty period for all sauna heaters is generally 2 years.

#### Requirement for this warranty:

- The control units have been installed by an authorised specialist con
- the devices are operated according to the sentiotec operating manu
- the warranty claim is received by sentiotec within the warranty peri

#### Excluded from the warranty are:

- Deficiencies or damage caused by non-intended use;
- all consumable materials and consumable objects, such as heating (

#### Warranty conditions for cabins:

We provide a five-year warranty on all of our solid wood and element cabins of the line sentiotec sauna and sentiotec infra for private usage. For commercial usage, the warranty is two years.

#### Requirement for this warranty:

- The corresponding invoice is presented,
- a detailed description of the defect is enclosed,
- the cabins were installed in accordance with the sentiotec installatio
- the warranty claim is received by sentiotec within the warranty period.
- In the case of outdoor cabins, care must be taken by the consumer leaving it in with a wood protection paint.

#### Excluded from the warranty are:

- Deficiencies or damage caused by non-intended use,
- cabins that were modified without the explicit approval of the manu
- pitch pockets and pitch that has emerged
- damage and discolouration of the wood due to inadequate ventile
- natural changes in the wood such as discolouration, crack formation the properties of the wood.

**Pitch pockets are not grounds for return**, since they can always appear in spruce wood and the depth at which they lie cannot be detected during the sorting out process. Pitch pockets are not grounds for return, if these are just under the surface, heat can cause them to soften and "bleed". Remove leaking pitch with a rag soaked in acetone. If only droplets of pitch occur, allow these to harden and then carefully scrape them off with a knife.

**The warranty period** starts from the date of invoice of the cabin manufacturer. A requirement is the presentation of the original invoice. If no original invoice is available, the month of manufacture, noted on the type plate of the product, is used as the basis for the start of the warranty period. The warranty period is neither extended nor renewed by warranty services.

npany; 1ls; 0d.

elements, etc.

n and operating instructions, nd. o protect the wood by painting it o

facturer,

m or a non-intended installation site, , shrinkage, swelling or similar changes due to



### sentiotec GmbH

Wartenburger Straße 31 4840 Vöcklabruck AUSTRIA T: +43 (0) 7672 / 229 00 F: +43 (0) 7672 / 229 00 - 80 info@harvia.com www.sentiotec.com